



KENEX PART NUMBER	NUMBER CORES X CROSS SECTION MM ²	ENDING L1/L2 IN MM	BLOCK LENGTH IN MM	EXPANDED LENGTH MAX. IN METER	SPIRAL OUTER Ø APPROX. MM	CABLE OUTER Ø APPROX. MM
33W02075	KENPUR 400 WL 2 x 0,75	200/200	300	1,05	21-26	6,4
33W02075A	KENPUR 400 WL 2 x 0,75	200/200	500	1,75	21-26	6,4
33W02075B	KENPUR 400 WL 2 x 0,75	200/200	1000	3,50	21-26	6,4
33W02075C	KENPUR 400 WL 2 x 0,75	200/200	1500	5,25	21-26	6,4
33W02075D	KENPUR 400 WL 2 x 0,75	200/200	3000	10,50	21-26	6,4
33W03075	KENPUR 400 WL 3 x 0,75	200/200	300	1,05	22-27	6,8
33W03075A	KENPUR 400 WL 3 x 0,75	200/200	500	1,75	22-27	6,8
33W03075B	KENPUR 400 WL 3 x 0,75	200/200	1000	3,50	22-27	6,8
33W03075C	KENPUR 400 WL 3 x 0,75	200/200	1500	5,25	22-27	6,8
33W03075D	KENPUR 400 WL 3 x 0,75	200/200	3000	10,50	22-27	6,8
33W04075	KENPUR 400 WL 4 x 0,75	200/200	300	1,05	26-31	7,4
33W04075A	KENPUR 400 WL 4 x 0,75	200/200	500	1,75	26-31	7,4
33W04075B	KENPUR 400 WL 4 x 0,75	200/200	1000	3,50	26-31	7,4
33W04075C	KENPUR 400 WL 4 x 0,75	200/200	1500	5,25	26-31	7,4
33W04075D	KENPUR 400 WL 4 x 0,75	200/200	3000	10,50	26-31	7,4
33W05075	KENPUR 400 WL 5 x 0,75	200/200	300	1,05	27-32	8,4
33W05075A	KENPUR 400 WL 5 x 0,75	200/200	500	1,75	27-32	8,4
33W05075B	KENPUR 400 WL 5 x 0,75	200/200	1000	3,50	27-32	8,4
33W05075C	KENPUR 400 WL 5 x 0,75	200/200	1500	5,25	27-32	8,4
33W05075D	KENPUR 400 WL 5 x 0,75	200/200	3000	10,50	27-32	8,4
33W02100	KENPUR 400 WL 2 x 1,00	200/200	300	1,05	22-27	6,8
33W02100A	KENPUR 400 WL 2 x 1,00	200/200	500	1,75	22-27	6,8
33W02100B	KENPUR 400 WL 2 x 1,00	200/200	1000	3,50	22-27	6,8
33W02100C	KENPUR 400 WL 2 x 1,00	200/200	1500	5,25	22-27	6,8
33W02100D	KENPUR 400 WL 2 x 1,00	200/200	3000	10,50	22-27	6,8
33W03100	KENPUR 400 WL 3 x 1,00	200/200	300	1,05	23-28	7,3
33W03100A	KENPUR 400 WL 3 x 1,00	200/200	500	1,75	23-28	7,3
33W03100B	KENPUR 400 WL 3 x 1,00	200/200	1000	3,50	23-28	7,3
33W03100C	KENPUR 400 WL 3 x 1,00	200/200	1500	5,25	23-28	7,3
33W03100D	KENPUR 400 WL 3 x 1,00	200/200	3000	10,50	23-28	7,3

KENEX PART NUMBER	NUMBER CORES X CROSS SECTION MM ²	ENDING L1/L2 IN MM	BLOCK LENGTH IN MM	EXPANDED LENGTH MAX. IN METER	SPIRAL OUTER Ø APPROX. MM	CABLE OUTER Ø APPROX. MM
33W04100	KENPUR 400 WL 4 x 1,00	200/200	300	1,05	26-31	8,0
33W04100A	KENPUR 400 WL 4 x 1,00	200/200	500	1,75	26-31	8,0
33W04100B	KENPUR 400 WL 4 x 1,00	200/200	1000	3,50	26-31	8,0
33W04100C	KENPUR 400 WL 4 x 1,00	200/200	1500	5,25	26-31	8,0
33W04100D	KENPUR 400 WL 4 x 1,00	200/200	3000	10,50	26-31	8,0
33W05100	KENPUR 400 WL 5 x 1,00	200/200	300	1,05	30-35	8,7
33W05100A	KENPUR 400 WL 5 x 1,00	200/200	500	1,75	30-35	8,7
33W05100B	KENPUR 400 WL 5 x 1,00	200/200	1000	3,50	30-35	8,7
33W05100C	KENPUR 400 WL 5 x 1,00	200/200	1500	5,25	30-35	8,7
33W05100D	KENPUR 400 WL 5 x 1,00	200/200	3000	10,50	30-35	8,7
33W02150	KENPUR 400 WL 2 x 1,50	200/200	300	1,05	27-32	8,4
33W02150A	KENPUR 400 WL 2 x 1,50	200/200	500	1,75	27-32	8,4
33W02150B	KENPUR 400 WL 2 x 1,50	200/200	1000	3,50	27-32	8,4
33W02150C	KENPUR 400 WL 2 x 1,50	200/200	1500	5,25	27-32	8,4
33W02150D	KENPUR 400 WL 2 x 1,50	200/200	3000	10,50	27-32	8,4
33W03150	KENPUR 400 WL 3 x 1,50	200/200	300	1,05	28-33	9,0
33W03150A	KENPUR 400 WL 3 x 1,50	200/200	500	1,75	28-33	9,0
33W03150B	KENPUR 400 WL 3 x 1,50	200/200	1000	3,50	28-33	9,0
33W03150C	KENPUR 400 WL 3 x 1,50	200/200	1500	5,25	28-33	9,0
33W03150D	KENPUR 400 WL 3 x 1,50	200/200	3000	10,50	28-33	9,0
33W05150	KENPUR 400 WL 5 x 1,50	200/200	300	1,05	36-41	11,0
33W05150A	KENPUR 400 WL 5 x 1,50	200/200	500	1,75	36-41	11,0
33W05150B	KENPUR 400 WL 5 x 1,50	200/200	1000	3,50	36-41	11,0
33W05150C	KENPUR 400 WL 5 x 1,50	200/200	1500	5,25	36-41	11,0
33W05150D	KENPUR 400 WL 5 x 1,50	200/200	3000	10,50	36-41	11,0
33W07150	KENPUR 400 WL 7 x 1,50	200/200	300	1,05	45-50	13,3
33W07150A	KENPUR 400 WL 7 x 1,50	200/200	500	1,75	45-50	13,3
33W07150B	KENPUR 400 WL 7 x 1,50	200/200	1000	3,50	45-50	13,3
33W07150C	KENPUR 400 WL 7 x 1,50	200/200	1500	5,25	45-50	13,3
33W07150D	KENPUR 400 WL 7 x 1,50	200/200	3000	10,50	45-50	13,3
33W12150	KENPUR 400 WL 12 x 1,50	200/200	300	1,05	62-67	18,5
33W12150A	KENPUR 400 WL 12 x 1,50	200/200	500	1,75	62-67	18,5
33W12150B	KENPUR 400 WL 12 x 1,50	200/200	1000	3,50	62-67	18,5
33W12150C	KENPUR 400 WL 12 x 1,50	200/200	1500	5,25	62-67	18,5
33W12150D	KENPUR 400 WL 12 x 1,50	200/200	3000	10,50	62-67	18,5
33W03250	KENPUR 400 WL 3 x 2,50	200/200	300	1,05	35-40	10,7
33W03250A	KENPUR 400 WL 3 x 2,50	200/200	500	1,75	35-40	10,7
33W03250B	KENPUR 400 WL 3 x 2,50	200/200	1000	3,50	35-40	10,7
33W03250C	KENPUR 400 WL 3 x 2,50	200/200	1500	5,25	35-40	10,7
33W03250D	KENPUR 400 WL 3 x 2,50	200/200	3000	10,50	35-40	10,7
33W05250	KENPUR 400 WL 5 x 2,50	200/200	300	1,05	41-46	13,3
33W05250A	KENPUR 400 WL 5 x 2,50	200/200	500	1,75	41-46	13,3
33W05250B	KENPUR 400 WL 5 x 2,50	200/200	1000	3,50	41-46	13,3
33W05250C	KENPUR 400 WL 5 x 2,50	200/200	1500	5,25	41-46	13,3
33W05250D	KENPUR 400 WL 5 x 2,50	200/200	3000	10,50	41-46	13,3

CUSTOMER-SPECIFIC SPIRAL CABLES!!

KENEX PART NUMBER	NUMBER CORES X CROSS SECTION MM ²	ENDING L1/L2 IN MM	BLOCK LENGTH IN MM	EXPANDED LENGTH MAX. IN METER	SPIRAL OUTER Ø APPROX. MM	CABLE OUTER Ø APPROX. MM
33W03050SW	Li12Y11Y WL 3 x 0,50	200/200	1500	7,00	18,0	-
099624075	KENPUR 400 WL 4 x 0,75	500/500	1000	-	-	-
33W05075B	KENPUR 400 WL 5 x 0,75	200/200	1000	-	-	-
33W05075C	KENPUR 400 WL 5 x 0,75	200/200	1500	-	-	-
33W05075E	KENPUR 400 WL 5 x 0,75	200/200	3500	-	31,4	8,7
33W05075F	KENPUR 400 WL 5 x 0,75	200/200	4500	-	31,4	8,7
33W03150B	KENPUR 400 WL 3 x 1,50	200/200	1000	-	-	-
33W03150C	KENPUR 400 WL 3 x 1,50	200/200	1500	-	-	-
33W03150WS0	KENPUR 400 WL 3 x 1,50 ws	200/200	1000	-	32,2	-
0993153030	KENPUR 400 WL 3 x 1,50	300/300	300	-	-	-
09915415	KENPUR 400 WL 4 x 1,50	150/150	1200	-	-	-
330WL0515B	KENPUR 400 WL 5 x 1,50	500/500	4000	-	-	-
330WL0515A	KENPUR 400 WL 5 x 1,50	1000/1000	1500	-	-	-
001W07152505i	KENPUR 400 WL 7 x 1,50	5000/5000	2500	-	-	-
33W07150A	KENPUR 400 WL 7 x 1,50	300/300	1000	-	-	-
09932570	KENPUR 400 WL 3 x 2,50	400/400	700	-	-	-
33W03250C	KENPUR 400 WL 3 x 2,50	200/200	1500	-	-	-
33W03250SW4i	KENPUR 400 WL 3 x 2,50	200/200	4000	-	38,8	10,9
33W04250D15	KENPUR 400 WL 4 x 2,50	200/1500	3000	-	-	-
33W0525A	KENPUR 400 WL 5 x 2,50	500/500	500	-	-	-
33W05250C	KENPUR 400 WL 5 x 2,50	200/200	1500	-	-	-
33W05250G	KENPUR 400 WL 5 x 2,50	500/500	350	-	-	-
09902525	KENPUR 400 WL 5 x 2,50	400/400	1000	-	-	-
09952550	KENPUR 400 WL 5 x 2,50	500/500	500	-	-	-
33W0540A	KENPUR 400 WL 5 x 4,00	500/500	500	-	-	-
33W0540B	KENPUR 400 WL 5 x 4,00	500/500	1000	-	-	-
33W05400E	KENPUR 400 WL 5 x 4,00	500/500	1200	4,80	64,0	-
09910560B	KENPUR 400 WL 5 x 6,00	400/800	800	-	-	-
09910560C	KENPUR 400 WL 5 x 6,00	400/800	600	-	-	-
33W05600B	KENPUR 400 WL 5 x 6,00	400/400	1000	-	-	-
33W05600C	KENPUR 400 WL 5 x 6,00	400/400	1500	-	-	-
33W05600D	KENPUR 400 WL 5 X 6,00	400/400	3000	-	-	-